

Record And Demographic Details

Unique ID

(Use format [hosp id][record id])

[hospital ID][data clerk ID][0001]

Hospital ID

- A
 B
 C
 D

Data entry person ID

- A
 B
 C
 D

Patient number (IP No.)

(e.g. 01)

Today's date

Obtain this information from the admission record

Date of admission

((for empty date type 1915-01-01))

Date of birth

((for empty date type 1915-01-01))

Age documented?

Yes No

Age less than 24 hours?

Yes No

Age (days)

(Enter age in days.)

Sex

Male Female Unknown/missing

Referred IN from another facility?

- Yes, from another facility
 Yes, from home
 No, inborn/not born before admission (BBA=no)
 Empty

Where referred FROM? (Name of facility)

- Kenyatta national hospital
- Aga khan hospital
- Mbagathi District hospital
- Nairobi Hospital
- Mama Lucy Kibaki hospital
- Nairobi west hospital
- Pumwani maternity Hospital
- The Karen Hospital
- Mater Hospital
- Radiant Pangani Hospital
- St Francis Com Hospital
- Mp Shah Hospital
- Nairobi Women's Hospital (Hurlingham)
- Nairobi Women's Hospital (Adams)
- Alliance Medical Centre
- Ruaraka Uhai Neema Hospital
- Avenue Hospital
- Coptic Hospital
- Gertrudes children's Hospital
- Guru Nanak Hospital
- Langata Hospital
- Maria immaculate health centre
- Mother and Child hospital
- Nairobi East Hospital
- Nairobi South Hospital
- Skyhill Medical Centre
- Afwan Medical Clinic
- Meridian Equator Hospital
- Metropolitan Hospital
- South B Hospital Limited
- Family care medical centre
- Komarock Modern Medical Care
- Marura Nursing Home
- St Mary's Mission Hospital
- Al-Amin Nursing Home
- Ladnan Hospital
- Empty

Facility referred from not on lookup list?

- Not on list

Specify facility not on lookup list

Residency: Location

(this can be the location of the mother)

- Bahati
- Dandora
- Eastleigh north
- Eastleigh south
- Embakasi
- Githurai
- Highridge
- Huruma
- Kabete
- Kahawa
- Kamiti
- Kamukunji
- Kangemi
- Karen
- Kariobangi
- Kariobangi south
- Kariokor
- Kasarani
- Katani
- Kawangware
- Kayole
- Kenyatta/golf course
- Kiambaa
- Kiambaa s/area
- Kibera
- Kihara
- Kilimani
- Kinoo
- Kitenkela
- Kitisuru
- Koma rock
- Korogocho
- Laini saba
- Langata
- Lavington
- Lukenya
- Makadara
- Makongeni
- Maringo
- Mathare
- Mugumoini
- Mukuru kwa njenga
- Mukuru nyayo
- Mutuini
- Nairobi west
- Ngara
- Ngong
- Njiru
- Nkaimoronya
- Nyathuna
- Oloolua
- Ongata rongai
- Parklands
- Pumwani
- Riruta
- Roysambu
- Ruai
- Ruaka
- Ruaraka
- Ruiru
- Sera ngombe
- Settled area
- Starehe
- Umoja
- Uthiru/ruthimitu
- Viwanda
- Waithaka
- Empty
- Viwandani

Location not on look up list?

Not on list

Specify location not on look up list

Residency: Sub-location

(this can be the sub-location of the mother)

- Ruiru
- Anmer
- Kiu
- Kahawa north
- Gathanga
- Thimbigua
- Ruaka
- Muchatha
- Kahawa south
- Roysambu
- Karura
- Koma rock, Koma rock
- Kihara
- Ruai
- Gathiga
- Kasarani
- Kibichiku
- Lower kabete
- Muthaiga
- Kitisuru
- Ruaraka
- Kinoo
- Dandora
- Loresho/kyuna
- Korogocho
- Uthiru
- Sp. Valley/u.parklands
- Kariobangi north
- Huruma
- Highridge
- Thogoto
- Umoja
- Kariobangi south
- Mathare
- Uthiru/ruthimitu
- Muthangari
- Mihango
- Eastleigh north
- Kangemi
- Pangani
- Kileleshwa
- Uhuru
- Masiwa
- Ngara east
- Ngara west
- Kawangware
- Kilimani
- Waithaka
- Nairobi central
- Harambee
- Riruta
- Ziwani/starehe/kari'r
- Eastleigh south
- Majengo
- City square
- Mutuini
- Athi river
- Lumumba
- Kimathi
- Shauri moyo/kamukunji
- Muthurwa
- Embakasi
- Ofafa
- Nairobi south
- Hamza
- Kaloleni
- Kenyatta hosp.
- Makongeni
- Karen
- Mbotela

- Viwandani(ind. Area)
- Golf course
- Woodley
- Nairobi west
- Langata
- Kibera
- Mugumoini
- Empty
- Kia maiko
- Mabatini
- Mlango kubwa
- City centre
- Gatina
- Kirigu
- Ngando
- Dandora A
- Dandora B
- Mowlem
- Kayole
- Komarock
- Imara daima
- Upper parklands
- Mukuru kwa njenga
- Maili saba
- Njiru
- Savannah
- Ngundu
- Githurai
- Kamuthi
- Kahawa west/Juja K
- Kiwanja
- Kongo soweto
- Mwiki
- Gitathuru
- Baba dogo
- Nyayo
- Nyayo highrise
- Garden
- Njathaini
- Mathare 4A
- Mathare North
- Utalii
- Lenana
- Lindi
- Makina
- Silanga
- Laini saba
- Hardy
- Bomas
- South C
- Gatwikira
- Olympic
- Ofafa maringo
- Hazina
- Landi mawe
- Airbase
- California
- Gikomba
- Gorofani/Bondeni
- Gichagi
- Mountain View
- Maziwa
- Spring Valley

Sub-location not on look up list?

- Not on list

Specify sub-location not on look up list

History Taken At Admission

Obtain this information from the clinical admission notes ONLY

Gestation at birth (weeks)

_____ (No. of whole weeks. If empty enter -1)

Is Apgar score documented?

Yes No

Apgar 5 minute

- 0
 1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 Empty

Apgar 10 minute

- 0
 1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 Empty

Birth weight (in kg)

_____ (in kilograms. Only enter in kg or g, not both. If empty enter -1)

Birth weight (in g)

_____ (in grams. Only enter in kg or g, not both. If empty enter -1)

Admission weight (in kg)

_____ (in kilograms. Only enter in kg or g, not both. If empty enter -1)

Admission weight (in g)

_____ (in grams. Only enter in kg or g, not both. If empty enter -1)

Mode of delivery

- Spontaneous vaginal (SVD)
 Assisted vaginal (Includes Forceps, Vacuum)
 Breech
 Caesarean section (C/S)
 Empty

Newborn resuscitation previously performed

 Yes No Not recorded/empty

HIV status

 Not exposed Exposed

check mother's details too

 Not recorded/empty

Length of illness (days)

((Duration for longest presenting complaint, enter -1 if unrecorded))

Assessment***Make sure that you enter information about HISTORY and not assessment***

	Yes	No	Empty
Prolonged ROM (>18 hours)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fever	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Difficulty breathing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Diarrhoea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Severe vomiting (vomits everything)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Difficulty feeding/breastfeeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Convulsions	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Partial/focal fits	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Apnoea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Examination At Admission

Obtain this information from the clinical admission notes ONLY

Vital signs

Temperature (degrees Celsius)

_____ (in degrees celsius to one decimal place e.g. 37.0
(enter -1 if empty))

Respiratory rate/Resp Rate/RR (per minute)

_____ (indicate per minute (enter -1 if empty))

Pulse value/Heart rate/HR (per minute)

_____ (indicate per minute (enter -1 if empty))

Oxygen saturation documented

Yes No

Oxygen saturation (%)

Airway and Breathing

Cry Normal Weak Hoarse
 Empty

Indrawing none/mild severe
 sternum Empty

Breathing

	Yes	No	Not recorded/empty
Stridor	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Central Cyanosis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Grunting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Air entry bilateral	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Crackles/crepitations	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Circulation

Femoral pulse Normal Weak Empty

Capillary Refill Time (CRT)

- X-indeterminate
 1 second or less
 2 seconds
 3 seconds
 4 seconds
 5 seconds
 6 seconds or more
 Not recorded/empty

Murmur

- Yes No Empty

Pallor/Anaemia

- none
 yes, but not classified
 yes, +(mild/moderate)
 yes, +++(severe)
 empty

Skin cold up to

- Hand
 Elbow
 Shoulder
 No cold
 Empty
 (Indicate all that apply)

Disability

	Yes	No	Not recorded/empty
Can suck/breastfeed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stiff neck	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bulging fontanelle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Irritable	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Reduced movement/floppy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Umbilicus

- Clean Local pus
 Pus + red skin Empty

General Examination

Skin appearance

- Bruising
 Rash
 Pustules
 Normal
 Empty

Jaundice (Yellowness of eyes)

- none(0)
 yes, but not classified
 yes, +(mild/moderate)
 yes, +++(severe)
 empty

Size for gestational age

- Normal SGA/wasted/small
 LGA/large Empty

Abnormalities

- Skull
 - Limbs / spine
 - Palate / face
 - Genitals / anus
 - Dysmorphic
 - Gastrointestinal
 - Other
 - None
 - Empty
- (check all that apply)

Other abnormality, please specify

Skin pinch (seconds)

- 0 sec/immediate
- 1-2 sec
- >2 sec
- empty

Investigations At Admission

Obtain this information from the clinical admission notes ONLY

Bilirubin test ordered Yes No

Lumbar puncture (LP) test ordered Yes No

Admission Diagnoses

Obtain this information from the clinical admission notes ONLY

Clear primary admission diagnosis?

Yes No Empty/No diagnosis
(Select 'Empty' if no diagnosis is available)

Primary admission diagnosis

- Accompanying other twin
- AKI
- Admitted due to mother's condition
- Admitted for observation
- Albinism
- BA
- Birth trauma
- Brachial plexus Injury
- Burns
- Caput Succedaneum
- Cephalohaematoma
- Cerebral palsy
- Chest malformation
- CBBA
- Chorioamnitis
- Cleft palate
- CHD
- CTEV
- Cysts
- Dehydration
- Poor feeding
- DIB
- Distended abdomen
- EONs
- Epispadia
- Erb's palsy
- Extra digit on hand
- Facial oedema
- Febrile convulsions
- Frothing
- Gastrointestinal bleeding
- Grunting respiration
- Haematoma
- Hepatitis
- Hypersecretion
- Hypoglycaemia
- Hypospasia
- Hypothermia
- HIE
- Imperforate anus
- Infection exposure
- IURG
- neonatal jaundice,NNJ
- Jointed penis
- Left eye medial strabismus
- Leg hyperextension in delivery
- Lipoma
- LA
- Large for gestational age,LGA
- MA
- MBA
- Cesarean section,CS
- Mother has no breast milk
- Mothers drug abuse
- Nasal blockage/Blocked nostrils
- NEC, NEC
- Neonatal Anaemia
- Neonatal convulsions
- NM
- NNS,EONS,
- NNT
- NRDS,RDS, Respiratory Distress Syndrome
- Paraphimosis
- Phimosis
- Pneumonia
- Pneumonitis/pulmonitis
- Polycythemia Vera
- Poor apgar score
- Postdatism
- Premature labour

- LBW
- preterm
- PEM
- Renal failure
- Rhesus incompatibility
- Risk of sepsis /infection
- Scrotal swelling
- Septic Pustules
- Septic Shock
- Sero-reactive mother/Sero exposed
- Severe Birth asphyxia
- STI
- Shock
- Shoulder dislocation
- Shoulder dystocia
- Skin rashes
- SGA
- Soft tissue injury
- Spina Bifida
- Spinal dysraphism
- Squint
- Swollen face due to pubis presentation
- Swollen forehead
- Thigh mass
- Twin delivery
- Umbilical hernia
- Undescended testes

Primary admission diagnosis not listed?

- Not on list

Specify primary admission diagnosis not listed

(Specify diagnosis)

Admission diagnosis 1

- Accompanying other twin
- AKI
- Admitted due to mother's condition
- Admitted for observation
- Albinism
- BA
- Birth trauma
- Brachial plexus Injury
- Burns
- Caput Succedaneum
- Cephalohaematoma
- Cerebral palsy
- Chest malformation
- CBBA
- Chorioamnitis
- Cleft palate
- CHD
- CTEV
- Cysts
- Dehydration
- Poor feeding
- DIB
- Distended abdomen
- EONs
- Epispadia
- Erb's palsy
- Extra digit on hand
- Facial oedema
- Febrile convulsions
- Frothing
- Gastrointestinal bleeding
- Grunting respiration
- Haematoma
- Hepatitis
- Hypersecretion
- Hypoglycaemia
- Hypospasia
- Hypothermia
- HIE
- Imperforate anus
- Infection exposure
- IURG
- neonatal jaundice,NNJ
- Jointed penis
- Left eye medial strabismus
- Leg hyperextension in delivery
- Lipoma
- LA
- Large for gestational age,LGA
- MA
- MBA
- Cesarean section,CS
- Mother has no breast milk
- Mothers drug abuse
- Nasal blockage/Blocked nostrils
- NEC, NEC
- Neonatal Anaemia
- Neonatal convulsions
- NM
- NNS,EONS,
- NNT
- NRDS,RDS, Respiratory Distress Syndrome
- Paraphimosis
- Phimosis
- Pneumonia
- Pneumonitis/pulmonitis
- Polycythemia Vera
- Poor apgar score
- Postdatism
- Premature labour

- LBW
- preterm
- PEM
- Renal failure
- Rhesus incompatibility
- Risk of sepsis /infection
- Scrotal swelling
- Septic Pustules
- Septic Shock
- Sero-reactive mother/Sero exposed
- Severe Birth asphyxia
- STI
- Shock
- Shoulder dislocation
- Shoulder dystocia
- Skin rashes
- SGA
- Soft tissue injury
- Spina Bifida
- Spinal dysraphism
- Squint
- Swollen face due to pubis presentation
- Swollen forehead
- Thigh mass
- Twin delivery
- Umbilical hernia
- Undescended testes

Admission diagnosis 2

- Accompanying other twin
- AKI
- Admitted due to mother's condition
- Admitted for observation
- Albinism
- BA
- Birth trauma
- Brachial plexus Injury
- Burns
- Caput Succedaneum
- Cephalohaematoma
- Cerebral palsy
- Chest malformation
- CBBA
- Chorioamnitis
- Cleft palate
- CHD
- CTEV
- Cysts
- Dehydration
- Poor feeding
- DIB
- Distended abdomen
- EONs
- Epispadia
- Erb's palsy
- Extra digit on hand
- Facial oedema
- Febrile convulsions
- Frothing
- Gastrointestinal bleeding
- Grunting respiration
- Haematoma
- Hepatitis
- Hypersecretion
- Hypoglycaemia
- Hypospasia
- Hypothermia
- HIE
- Imperforate anus
- Infection exposure
- IURG
- neonatal jaundice,NNJ
- Jointed penis
- Left eye medial strabismus
- Leg hyperextension in delivery
- Lipoma
- LA
- Large for gestational age,LGA
- MA
- MBA
- Cesarean section,CS
- Mother has no breast milk
- Mothers drug abuse
- Nasal blockage/Blocked nostrils
- NEC, NEC
- Neonatal Anaemia
- Neonatal convulsions
- NM
- NNS,EONS,
- NNT
- NRDS,RDS, Respiratory Distress Syndrome
- Paraphimosis
- Phimosis
- Pneumonia
- Pneumonitis/pulmonitis
- Polycythemia Vera
- Poor apgar score
- Postdatism
- Premature labour

- LBW
- preterm
- PEM
- Renal failure
- Rhesus incompatibility
- Risk of sepsis /infection
- Scrotal swelling
- Septic Pustules
- Septic Shock
- Sero-reactive mother/Sero exposed
- Severe Birth asphyxia
- STI
- Shock
- Shoulder dislocation
- Shoulder dystocia
- Skin rashes
- SGA
- Soft tissue injury
- Spina Bifida
- Spinal dysraphism
- Squint
- Swollen face due to pubis presentation
- Swollen forehead
- Thigh mass
- Twin delivery
- Umbilical hernia
- Undescended testes

Admission diagnosis 3

- Accompanying other twin
- AKI
- Admitted due to mother's condition
- Admitted for observation
- Albinism
- BA
- Birth trauma
- Brachial plexus Injury
- Burns
- Caput Succedaneum
- Cephalohaematoma
- Cerebral palsy
- Chest malformation
- CBBA
- Chorioamnitis
- Cleft palate
- CHD
- CTEV
- Cysts
- Dehydration
- Poor feeding
- DIB
- Distended abdomen
- EONs
- Epispadia
- Erb's palsy
- Extra digit on hand
- Facial oedema
- Febrile convulsions
- Frothing
- Gastrointestinal bleeding
- Grunting respiration
- Haematoma
- Hepatitis
- Hypersecretion
- Hypoglycaemia
- Hypospasia
- Hypothermia
- HIE
- Imperforate anus
- Infection exposure
- IURG
- neonatal jaundice,NNJ
- Jointed penis
- Left eye medial strabismus
- Leg hyperextension in delivery
- Lipoma
- LA
- Large for gestational age,LGA
- MA
- MBA
- Cesarean section,CS
- Mother has no breast milk
- Mothers drug abuse
- Nasal blockage/Blocked nostrils
- NEC, NEC
- Neonatal Anaemia
- Neonatal convulsions
- NM
- NNS,EONS,
- NNT
- NRDS,RDS, Respiratory Distress Syndrome
- Paraphimosis
- Phimosis
- Pneumonia
- Pneumonitis/pulmonitis
- Polycythemia Vera
- Poor apgar score
- Postdatism
- Premature labour

- LBW
- preterm
- PEM
- Renal failure
- Rhesus incompatibility
- Risk of sepsis /infection
- Scrotal swelling
- Septic Pustules
- Septic Shock
- Sero-reactive mother/Sero exposed
- Severe Birth asphyxia
- STI
- Shock
- Shoulder dislocation
- Shoulder dystocia
- Skin rashes
- SGA
- Soft tissue injury
- Spina Bifida
- Spinal dysraphism
- Squint
- Swollen face due to pubis presentation
- Swollen forehead
- Thigh mass
- Twin delivery
- Umbilical hernia
- Undescended testes

Specify any other admission diagnoses

(Specify diagnoses, separating each by :)

Other admission diagnoses

Yes No

Other admission diagnosis 1

- Accompanying other twin
- AKI
- Admitted due to mother's condition
- Admitted for observation
- Albinism
- BA
- Birth trauma
- Brachial plexus Injury
- Burns
- Caput Succedaneum
- Cephalohaematoma
- Cerebral palsy
- Chest malformation
- CBBA
- Chorioamnitis
- Cleft palate
- CHD
- CTEV
- Cysts
- Dehydration
- Poor feeding
- DIB
- Distended abdomen
- EONs
- Epispadia
- Erb's palsy
- Extra digit on hand
- Facial oedema
- Febrile convulsions
- Frothing
- Gastrointestinal bleeding
- Grunting respiration
- Haematoma
- Hepatitis
- Hypersecretion
- Hypoglycaemia
- Hypospasia
- Hypothermia
- HIE
- Imperforate anus
- Infection exposure
- IURG
- neonatal jaundice,NNJ
- Jointed penis
- Left eye medial strabismus
- Leg hyperextension in delivery
- Lipoma
- LA
- Large for gestational age,LGA
- MA
- MBA
- Cesarean section,CS
- Mother has no breast milk
- Mothers drug abuse
- Nasal blockage/Blocked nostrils
- NEC, NEC
- Neonatal Anaemia
- Neonatal convulsions
- NM
- NNS,EONS,
- NNT
- NRDS,RDS, Respiratory Distress Syndrome
- Paraphimosis
- Phimosis
- Pneumonia
- Pneumonitis/pulmonitis
- Polycythemia Vera
- Poor apgar score
- Postdatism
- Premature labour

- LBW
- preterm
- PEM
- Renal failure
- Rhesus incompatibility
- Risk of sepsis /infection
- Scrotal swelling
- Septic Pustules
- Septic Shock
- Sero-reactive mother/Sero exposed
- Severe Birth asphyxia
- STI
- Shock
- Shoulder dislocation
- Shoulder dystocia
- Skin rashes
- SGA
- Soft tissue injury
- Spina Bifida
- Spinal dysraphism
- Squint
- Swollen face due to pubis presentation
- Swollen forehead
- Thigh mass
- Twin delivery
- Umbilical hernia
- Undescended testes

Other admission diagnosis 2

- Accompanying other twin
- AKI
- Admitted due to mother's condition
- Admitted for observation
- Albinism
- BA
- Birth trauma
- Brachial plexus Injury
- Burns
- Caput Succedaneum
- Cephalohaematoma
- Cerebral palsy
- Chest malformation
- CBBA
- Chorioamnitis
- Cleft palate
- CHD
- CTEV
- Cysts
- Dehydration
- Poor feeding
- DIB
- Distended abdomen
- EONs
- Epispadia
- Erb's palsy
- Extra digit on hand
- Facial oedema
- Febrile convulsions
- Frothing
- Gastrointestinal bleeding
- Grunting respiration
- Haematoma
- Hepatitis
- Hypersecretion
- Hypoglycaemia
- Hypospasia
- Hypothermia
- HIE
- Imperforate anus
- Infection exposure
- IURG
- neonatal jaundice,NNJ
- Jointed penis
- Left eye medial strabismus
- Leg hyperextension in delivery
- Lipoma
- LA
- Large for gestational age,LGA
- MA
- MBA
- Cesarean section,CS
- Mother has no breast milk
- Mothers drug abuse
- Nasal blockage/Blocked nostrils
- NEC, NEC
- Neonatal Anaemia
- Neonatal convulsions
- NM
- NNS,EONS,
- NNT
- NRDS,RDS, Respiratory Distress Syndrome
- Paraphimosis
- Phimosis
- Pneumonia
- Pneumonitis/pulmonitis
- Polycythemia Vera
- Poor apgar score
- Postdatism
- Premature labour

- LBW
- preterm
- PEM
- Renal failure
- Rhesus incompatibility
- Risk of sepsis /infection
- Scrotal swelling
- Septic Pustules
- Septic Shock
- Sero-reactive mother/Sero exposed
- Severe Birth asphyxia
- STI
- Shock
- Shoulder dislocation
- Shoulder dystocia
- Skin rashes
- SGA
- Soft tissue injury
- Spina Bifida
- Spinal dysraphism
- Squint
- Swollen face due to pubis presentation
- Swollen forehead
- Thigh mass
- Twin delivery
- Umbilical hernia
- Undescended testes

Specify any other admission diagnoses

(Specify diagnoses, separating each by :)

Drug Treatment Prescribed At Admission

Obtain this information from the clinical admission notes/treatment sheet ONLY

Is there a treatment sheet in the file?

Yes No

(CHECK AND ASCERTAIN BEFORE YOU SELECT "NO")

Antibiotics

Benzyl/Crystalline Penicillin(Xpen) prescribed?

Yes No

Route

I.M I.V empty

Dose

(Amount prescribed per dose (enter -1 if not recorded))

Units of dose

IU mg MU(megaunit)
 Empty

Frequency

OD/once a day/24hrly
 BD/twice a day/12hrly
 TID/TDS/three times a day/8hrly
 QID/4 times a day/6hrly
 STAT
 Empty

Gentamicin prescribed?

Yes No

Route

I.M I.V empty

Dose

((enter -1 if not recorded))

Units of dose

mg Empty

Frequency

Once per day/once daily(OD)
 12 hourly
 8 hourly
 6 hourly
 Empty

Additional treatment

Additional drugs prescribed during admission

Yes No

Other drugs 1

- Adol
- Ala-scalp
- Albendazole
- Albenza
- Aldomet
- Amifer
- Amikacin
- Amikin
- Aminophylline
- Amodiaquine
- Amoxicillin/Clavulanate potassium
- Ampicillin/Cloxacillin
- Ampiclo dawa
- Ampiclox
- Antiseptic Baths
- Artemether/lumefantrine
- Augmentin
- Axylin
- Bactrim
- Bactroban cream
- Bestum
- Brufen
- Calpol
- Candid B mouthwash
- Ceftazidime
- Chlorphenamine
- Cincifran
- Cipro
- Ciprofloxacin
- Coartem
- Comaquin
- Cortril ointment
- Cortrimazole
- Cotrimoxazole
- Cough syrup
- Dawaflox
- Dawastin
- Decadron
- Desenex
- Dexamethasone
- Dexasone
- Diastat
- Diazepam
- Diodex
- Efferalgan
- Epigard
- Epinil
- Ergamisol
- Erythrocin
- Erythromycin
- Fefol
- Flagyl
- Flavoquin
- Floxapen
- Fluclox
- Flucloxacillin
- Folate
- Folic acid
- Fortum
- Fraclox
- Fungistin
- Furosemide
- Fusid
- Gabapentin
- Gabatin
- Gabix
- Hexadrol
- Hydrocortisone cream
- Ibuprofen
- Iron supplements

- Kacin
- Keftaz
- Lanomycin
- Lasix
- Lefrusid
- Levamisole
- Lotrimin
- Metacycline
- Methyldopa
- Metronidazole
- Micort-HC
- Mixavit syrup
- Multivitamins
- Mupirocin cream
- Mycostatin
- Neotack
- Neurontin
- Nevimune
- Nevir
- Nevirapine
- Nevivir
- No Rash cream
- Norphyl
- Nutracort
- Nycostat
- Nystatin suspension
- Panadol
- Paracetamol
- Pediamycin
- Pedsol
- Phenetron
- Phenobarb
- Phenobarbital
- Phylocontin
- Piriton
- Prednisone
- Prednizen
- Qualaquin
- Quinine
- Ranferon
- Ranitidine
- Reducid
- Salbutamol
- Saline nasal drops
-
- Solvazinc, Solvazinc
- Sulbut
- Sulfatrim
- Tazid
- Terramycine
- Tetracycline eye ointment
- Trivagizole
- Truphylline
- Ultac
- Valium
- Ventolin
- Viramune
- Vitamin B9
- Vitamin K
- Zantac
- Zeefee
- Zinc oxide
- Zinc sulphate
- Zincate, Zincate

Other drugs 2

- Adol
- Ala-scalp
- Albendazole
- Albenza
- Aldomet
- Amifer
- Amikacin
- Amikin
- Aminophylline
- Amodiaquine
- Amoxicillin/Clavulanate potassium
- Ampicillin/Cloxacillin
- Ampiclo dawa
- Ampiclox
- Antiseptic Baths
- Artemether/lumefantrine
- Augmentin
- Axylin
- Bactrim
- Bactroban cream
- Bestum
- Brufen
- Calpol
- Candid B mouthwash
- Ceftazidime
- Chlorphenamine
- Cincifran
- Cipro
- Ciprofloxacin
- Coartem
- Comaquin
- Cortril ointment
- Cortrimazole
- Cotrimoxazole
- Cough syrup
- Dawaflox
- Dawastin
- Decadron
- Desenex
- Dexamethasone
- Dexasone
- Diastat
- Diazepam
- Diodex
- Efferalgan
- Epigard
- Epinil
- Ergamisol
- Erythrocin
- Erythromycin
- Fefol
- Flagyl
- Flavoquin
- Floxapen
- Fluclox
- Flucloxacillin
- Folate
- Folic acid
- Fortum
- Fraclox
- Fungistin
- Furosemide
- Fusid
- Gabapentin
- Gabatin
- Gabix
- Hexadrol
- Hydrocortisone cream
- Ibuprofen
- Iron supplements

- Kacin
- Keftaz
- Lanomycin
- Lasix
- Lefrusid
- Levamisole
- Lotrimin
- Metacycline
- Methyldopa
- Metronidazole
- Micort-HC
- Mixavit syrup
- Multivitamins
- Mupirocin cream
- Mycostatin
- Neotack
- Neurontin
- Nevimune
- Nevir
- Nevirapine
- Nevivir
- No Rash cream
- Norphyl
- Nutracort
- Nycostat
- Nystatin suspension
- Panadol
- Paracetamol
- Pediamycin
- Pedsol
- Phenetron
- Phenobarb
- Phenobarbital
- Phylocontin
- Piriton
- Prednisone
- Prednizen
- Qualaquin
- Quinine
- Ranferon
- Ranitidine
- Reducid
- Salbutamol
- Saline nasal drops
-
- Solvazinc, Solvazinc
- Sulbut
- Sulfatrim
- Tazid
- Terramycine
- Tetracycline eye ointment
- Trivagizole
- Truphylline
- Ultac
- Valium
- Ventolin
- Viramune
- Vitamin B9
- Vitamin K
- Zantac
- Zeefee
- Zinc oxide
- Zinc sulphate
- Zincate, Zincate

Other drugs 3

- Adol
- Ala-scalp
- Albendazole
- Albenza
- Aldomet
- Amifer
- Amikacin
- Amikin
- Aminophylline
- Amodiaquine
- Amoxicillin/Clavulanate potassium
- Ampicillin/Cloxacillin
- Ampiclo dawa
- Ampiclox
- Antiseptic Baths
- Artemether/lumefantrine
- Augmentin
- Axylin
- Bactrim
- Bactroban cream
- Bestum
- Brufen
- Calpol
- Candid B mouthwash
- Ceftazidime
- Chlorphenamine
- Cincifran
- Cipro
- Ciprofloxacin
- Coartem
- Comaquin
- Cortril ointment
- Cortrimazole
- Cotrimoxazole
- Cough syrup
- Dawaflox
- Dawastin
- Decadron
- Desenex
- Dexamethasone
- Dexasone
- Diastat
- Diazepam
- Diodex
- Efferalgan
- Epigard
- Epinil
- Ergamisol
- Erythrocin
- Erythromycin
- Fefol
- Flagyl
- Flavoquin
- Floxapen
- Fluclox
- Flucloxacillin
- Folate
- Folic acid
- Fortum
- Fraclox
- Fungistin
- Furosemide
- Fusid
- Gabapentin
- Gabatin
- Gabix
- Hexadrol
- Hydrocortisone cream
- Ibuprofen
- Iron supplements

- Kacin
- Keftaz
- Lanomycin
- Lasix
- Lefrusid
- Levamisole
- Lotrimin
- Metacycline
- Methyldopa
- Metronidazole
- Micort-HC
- Mixavit syrup
- Multivitamins
- Mupirocin cream
- Mycostatin
- Neotack
- Neurontin
- Nevimune
- Nevir
- Nevirapine
- Nevivir
- No Rash cream
- Norphyl
- Nutracort
- Nycostat
- Nystatin suspension
- Panadol
- Paracetamol
- Pediamycin
- Pedsol
- Phenetron
- Phenobarb
- Phenobarbital
- Phylocontin
- Piriton
- Prednisone
- Prednizen
- Qualaquin
- Quinine
- Ranferon
- Ranitidine
- Reducid
- Salbutamol
- Saline nasal drops
-
- Solvazinc, Solvazinc
- Sulbut
- Sulfatrim
- Tazid
- Terramycine
- Tetracycline eye ointment
- Trivagizole
- Truphylline
- Ultac
- Valium
- Ventolin
- Viramune
- Vitamin B9
- Vitamin K
- Zantac
- Zeefee
- Zinc oxide
- Zinc sulphate
- Zincate, Zincate

Other additional drugs, please specify

(Specify drugs, separating each by :)

Receiving ARV prophylaxis?

Yes No Not recorded/empty

Checking the whole file

Diazepam prescribed at any time during inpatient care?

Yes No

Supportive Care Prescribed At Admission

Oxygen prescribed at admission for first 24 hours

Oxygen ordered?

Yes No

Route of oxygen administration

- Nasal Catheter
 Nasal prongs
 Nasal (with no indication of type)
 Simple mask
 Mask with a reservoir
 Other
 Not recorded/empty

Feeds prescribed at admission for first 24 hours

Feeds prescribed at admission?

Yes No

Type of feeds prescribed

- Expressed Breast Milk (EBM)
 Neonatal formula
 Cow's milk
 Mixed feeding
 Other
 Empty

Time to start feeds (after admission)

- < 1 hr
 1-2 hrs
 >2hrs
 Empty

Feeding route prescribed

- Nasogastric tube
 Cup and spoon
 Other
 Empty

Feed Volume (ml)

(total volume in mls per feed (enter -1 if empty))

Frequency of administration

- hrly
 2hrly
 3hrly
 4hrly
 5hrly
 6hrly
 Empty

Duration of feed prescribed (hours)

((enter -1 if empty))

Fluids prescribed at admission for first 24 hours

Fluids prescribed at admission using intravenous(I.V) route?

Yes No

IV fluids prescribed

- Half strength darrows(HSD)
- Half strength darrows with 5% DW
- 10% DW(D10W)
- Normal Saline(NS)
- Ringers Lactate/Hartmanns(RL)
- 5% DW(D5W)
- Other
- Empty

Volume of IV fluids (ml)

((enter -1 if empty))

Follow Up Monitoring

Clinical review AFTER admission (look through the entire file for this information)

Evidence of further clinical review Yes No

Date of first clinical review after admission _____
(if empty enter 1915-01-01)

MONITORING

Vital signs chart present and filled? Yes No

Number of days for which vital signs chart is filled _____
((days))

Vital signs monitored in the first 48 hours after admission? Yes No

Number of times temperature recorded in the first 48 hours after admission

0
 1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 >10
 Empty
 ((If length of stay was less than 48 hours, note total number of times temperature was recorded))

Number of times respiratory rate recorded in first 48 hours of admission

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 >10
 Empty
 ((If length of stay was less than 48 hours, note total number of times respiratory rate was recorded))

Number of times heart rate recorded in first 48 hours of admission

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- >10
- Empty

((If length of stay was less than 48 hours, note total number of times heart rate was recorded))

Feeding monitoring chart available and filled?

- Yes
- No

Duration for which feeding chart is filled (hours)

((hours))

Number of times feeding recorded as given during the period of monitoring (i.e. timeframe above)

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- >10
- Empty

Fluid chart available with evidence of monitoring?

- Yes
- No

Duration for which fluid chart is filled (hours)

((hours))

Number of times fluids recorded as checked during the period of monitoring (i.e. timeframe above)

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- >10
- Empty

Evidence of monitoring baby's weight?

- Yes
- No

Discharge Information

Clinical review during discharge (this should be on a discharge summary sheet but look through the entire file for this information)

Date of discharge/death

((for empty date type 1915-01-01))

Outcome of discharge

- Alive
 Dead
 Referred
 Absconded
 Empty

Referred to where (name of facility)?

- Kenyatta national hospital
 Aga khan hospital
 Mbagathi District hospital
 Nairobi Hospital
 Mama Lucy Kibaki hospital
 Nairobi west hospital
 Pumwani maternity Hospital
 The Karen Hospital
 Mater Hospital
 Radiant Pangani Hospital
 St Francis Com Hospital
 Mp Shah Hospital
 Nairobi Women's Hospital (Hurlingham)
 Nairobi Women's Hospital (Adams)
 Alliance Medical Centre
 Ruaraka Uhai Neema Hospital
 Avenue Hospital
 Coptic Hospital
 Gertrudes children's Hospital
 Guru Nanak Hospital
 Langata Hospital
 Maria immaculate health centre
 Mother and Child hospital
 Nairobi East Hospital
 Nairobi South Hospital
 Skyhill Medical Centre
 Afwan Medical Clinic
 Meridian Equator Hospital
 Metropolitan Hospital
 South B Hospital Limited
 Family care medical centre
 Komarock Modern Medical Care
 Marura Nursing Home
 St Mary's Mission Hospital
 Al-Amin Nursing Home
 Ladnan Hospital
 Empty

Facility referred to not on lookup list?

- Not on list

Specify facility/location not on lookup list

Discharge weight (in kg)

(in kilograms. Only enter in kg or g, not both. If empty enter -1)

Discharge weight (in g)

(in grams. Only enter in kg or g, not both. If empty enter -1)

Discharge diagnosis

Clear primary discharge diagnosis?

Yes No Empty/No diagnosis
(Select 'Empty' if no diagnosis is available)

Primary discharge diagnosis

- Accompanying other twin
- AKI
- Admitted due to mother's condition
- Admitted for observation
- Albinism
- BA
- Birth trauma
- Brachial plexus Injury
- Burns
- Caput Succedaneum
- Cephalohaematoma
- Cerebral palsy
- Chest malformation
- CBBA
- Chorioamnitis
- Cleft palate
- CHD
- CTEV
- Cysts
- Dehydration
- Poor feeding
- DIB
- Distended abdomen
- EONs
- Epispadia
- Erb's palsy
- Extra digit on hand
- Facial oedema
- Febrile convulsions
- Frothing
- Gastrointestinal bleeding
- Grunting respiration
- Haematoma
- Hepatitis
- Hypersecretion
- Hypoglycaemia
- Hypospasia
- Hypothermia
- HIE
- Imperforate anus
- Infection exposure
- IURG
- neonatal jaundice,NNJ
- Jointed penis
- Left eye medial strabismus
- Leg hyperextension in delivery
- Lipoma
- LA
- Large for gestational age,LGA
- MA
- MBA
- Cesarean section,CS
- Mother has no breast milk
- Mothers drug abuse
- Nasal blockage/Blocked nostrils
- NEC, NEC
- Neonatal Anaemia
- Neonatal convulsions
- NM
- NNS,EONS,
- NNT
- NRDS,RDS, Respiratory Distress Syndrome
- Paraphimosis
- Phimosis
- Pneumonia
- Pneumonitis/pulmonitis
- Polycythemia Vera
- Poor apgar score
- Postdatism
- Premature labour

- LBW
- preterm
- PEM
- Renal failure
- Rhesus incompatibility
- Risk of sepsis /infection
- Scrotal swelling
- Septic Pustules
- Septic Shock
- Sero-reactive mother/Sero exposed
- Severe Birth asphyxia
- STI
- Shock
- Shoulder dislocation
- Shoulder dystocia
- Skin rashes
- SGA
- Soft tissue injury
- Spina Bifida
- Spinal dysraphism
- Squint
- Swollen face due to pubis presentation
- Swollen forehead
- Thigh mass
- Twin delivery
- Umbilical hernia
- Undescended testes

- Not on list

Primary discharge diagnosis not listed?

Specify primary discharge diagnosis not listed

(Specify diagnosis)

Discharge diagnosis 1

- Accompanying other twin
- AKI
- Admitted due to mother's condition
- Admitted for observation
- Albinism
- BA
- Birth trauma
- Brachial plexus Injury
- Burns
- Caput Succedaneum
- Cephalohaematoma
- Cerebral palsy
- Chest malformation
- CBBA
- Chorioamnitis
- Cleft palate
- CHD
- CTEV
- Cysts
- Dehydration
- Poor feeding
- DIB
- Distended abdomen
- EONs
- Epispadia
- Erb's palsy
- Extra digit on hand
- Facial oedema
- Febrile convulsions
- Frothing
- Gastrointestinal bleeding
- Grunting respiration
- Haematoma
- Hepatitis
- Hypersecretion
- Hypoglycaemia
- Hypospasia
- Hypothermia
- HIE
- Imperforate anus
- Infection exposure
- IURG
- neonatal jaundice,NNJ
- Jointed penis
- Left eye medial strabismus
- Leg hyperextension in delivery
- Lipoma
- LA
- Large for gestational age,LGA
- MA
- MBA
- Cesarean section,CS
- Mother has no breast milk
- Mothers drug abuse
- Nasal blockage/Blocked nostrils
- NEC, NEC
- Neonatal Anaemia
- Neonatal convulsions
- NM
- NNS,EONS,
- NNT
- NRDS,RDS, Respiratory Distress Syndrome
- Paraphimosis
- Phimosis
- Pneumonia
- Pneumonitis/pulmonitis
- Polycythemia Vera
- Poor apgar score
- Postdatism
- Premature labour

- LBW
- preterm
- PEM
- Renal failure
- Rhesus incompatibility
- Risk of sepsis /infection
- Scrotal swelling
- Septic Pustules
- Septic Shock
- Sero-reactive mother/Sero exposed
- Severe Birth asphyxia
- STI
- Shock
- Shoulder dislocation
- Shoulder dystocia
- Skin rashes
- SGA
- Soft tissue injury
- Spina Bifida
- Spinal dysraphism
- Squint
- Swollen face due to pubis presentation
- Swollen forehead
- Thigh mass
- Twin delivery
- Umbilical hernia
- Undescended testes

Discharge diagnosis 2

- Accompanying other twin
- AKI
- Admitted due to mother's condition
- Admitted for observation
- Albinism
- BA
- Birth trauma
- Brachial plexus Injury
- Burns
- Caput Succedaneum
- Cephalohaematoma
- Cerebral palsy
- Chest malformation
- CBBA
- Chorioamnitis
- Cleft palate
- CHD
- CTEV
- Cysts
- Dehydration
- Poor feeding
- DIB
- Distended abdomen
- EONs
- Epispadia
- Erb's palsy
- Extra digit on hand
- Facial oedema
- Febrile convulsions
- Frothing
- Gastrointestinal bleeding
- Grunting respiration
- Haematoma
- Hepatitis
- Hypersecretion
- Hypoglycaemia
- Hypospasia
- Hypothermia
- HIE
- Imperforate anus
- Infection exposure
- IURG
- neonatal jaundice,NNJ
- Jointed penis
- Left eye medial strabismus
- Leg hyperextension in delivery
- Lipoma
- LA
- Large for gestational age,LGA
- MA
- MBA
- Cesarean section,CS
- Mother has no breast milk
- Mothers drug abuse
- Nasal blockage/Blocked nostrils
- NEC, NEC
- Neonatal Anaemia
- Neonatal convulsions
- NM
- NNS,EONS,
- NNT
- NRDS,RDS, Respiratory Distress Syndrome
- Paraphimosis
- Phimosis
- Pneumonia
- Pneumonitis/pulmonitis
- Polycythemia Vera
- Poor apgar score
- Postdatism
- Premature labour

- LBW
- preterm
- PEM
- Renal failure
- Rhesus incompatibility
- Risk of sepsis /infection
- Scrotal swelling
- Septic Pustules
- Septic Shock
- Sero-reactive mother/Sero exposed
- Severe Birth asphyxia
- STI
- Shock
- Shoulder dislocation
- Shoulder dystocia
- Skin rashes
- SGA
- Soft tissue injury
- Spina Bifida
- Spinal dysraphism
- Squint
- Swollen face due to pubis presentation
- Swollen forehead
- Thigh mass
- Twin delivery
- Umbilical hernia
- Undescended testes

Discharge diagnosis 3

- Accompanying other twin
- AKI
- Admitted due to mother's condition
- Admitted for observation
- Albinism
- BA
- Birth trauma
- Brachial plexus Injury
- Burns
- Caput Succedaneum
- Cephalohaematoma
- Cerebral palsy
- Chest malformation
- CBBA
- Chorioamnitis
- Cleft palate
- CHD
- CTEV
- Cysts
- Dehydration
- Poor feeding
- DIB
- Distended abdomen
- EONs
- Epispadia
- Erb's palsy
- Extra digit on hand
- Facial oedema
- Febrile convulsions
- Frothing
- Gastrointestinal bleeding
- Grunting respiration
- Haematoma
- Hepatitis
- Hypersecretion
- Hypoglycaemia
- Hypospasia
- Hypothermia
- HIE
- Imperforate anus
- Infection exposure
- IURG
- neonatal jaundice,NNJ
- Jointed penis
- Left eye medial strabismus
- Leg hyperextension in delivery
- Lipoma
- LA
- Large for gestational age,LGA
- MA
- MBA
- Cesarean section,CS
- Mother has no breast milk
- Mothers drug abuse
- Nasal blockage/Blocked nostrils
- NEC, NEC
- Neonatal Anaemia
- Neonatal convulsions
- NM
- NNS,EONS,
- NNT
- NRDS,RDS, Respiratory Distress Syndrome
- Paraphimosis
- Phimosis
- Pneumonia
- Pneumonitis/pulmonitis
- Polycythemia Vera
- Poor apgar score
- Postdatism
- Premature labour

- LBW
- preterm
- PEM
- Renal failure
- Rhesus incompatibility
- Risk of sepsis /infection
- Scrotal swelling
- Septic Pustules
- Septic Shock
- Sero-reactive mother/Sero exposed
- Severe Birth asphyxia
- STI
- Shock
- Shoulder dislocation
- Shoulder dystocia
- Skin rashes
- SGA
- Soft tissue injury
- Spina Bifida
- Spinal dysraphism
- Squint
- Swollen face due to pubis presentation
- Swollen forehead
- Thigh mass
- Twin delivery
- Umbilical hernia
- Undescended testes

Specify any other discharge diagnosis

(Specify diagnosis, separated by :)

Other discharge diagnosis

Yes No

Other discharge diagnosis 1

- Accompanying other twin
- AKI
- Admitted due to mother's condition
- Admitted for observation
- Albinism
- BA
- Birth trauma
- Brachial plexus Injury
- Burns
- Caput Succedaneum
- Cephalohaematoma
- Cerebral palsy
- Chest malformation
- CBBA
- Chorioamnitis
- Cleft palate
- CHD
- CTEV
- Cysts
- Dehydration
- Poor feeding
- DIB
- Distended abdomen
- EONs
- Epispadia
- Erb's palsy
- Extra digit on hand
- Facial oedema
- Febrile convulsions
- Frothing
- Gastrointestinal bleeding
- Grunting respiration
- Haematoma
- Hepatitis
- Hypersecretion
- Hypoglycaemia
- Hypospasia
- Hypothermia
- HIE
- Imperforate anus
- Infection exposure
- IURG
- neonatal jaundice,NNJ
- Jointed penis
- Left eye medial strabismus
- Leg hyperextension in delivery
- Lipoma
- LA
- Large for gestational age,LGA
- MA
- MBA
- Cesarean section,CS
- Mother has no breast milk
- Mothers drug abuse
- Nasal blockage/Blocked nostrils
- NEC, NEC
- Neonatal Anaemia
- Neonatal convulsions
- NM
- NNS,EONS,
- NNT
- NRDS,RDS, Respiratory Distress Syndrome
- Paraphimosis
- Phimosis
- Pneumonia
- Pneumonitis/pulmonitis
- Polycythemia Vera
- Poor apgar score
- Postdatism
- Premature labour

- LBW
- preterm
- PEM
- Renal failure
- Rhesus incompatibility
- Risk of sepsis /infection
- Scrotal swelling
- Septic Pustules
- Septic Shock
- Sero-reactive mother/Sero exposed
- Severe Birth asphyxia
- STI
- Shock
- Shoulder dislocation
- Shoulder dystocia
- Skin rashes
- SGA
- Soft tissue injury
- Spina Bifida
- Spinal dysraphism
- Squint
- Swollen face due to pubis presentation
- Swollen forehead
- Thigh mass
- Twin delivery
- Umbilical hernia
- Undescended testes

Other discharge diagnosis 2

- Accompanying other twin
- AKI
- Admitted due to mother's condition
- Admitted for observation
- Albinism
- BA
- Birth trauma
- Brachial plexus Injury
- Burns
- Caput Succedaneum
- Cephalohaematoma
- Cerebral palsy
- Chest malformation
- CBBA
- Chorioamnitis
- Cleft palate
- CHD
- CTEV
- Cysts
- Dehydration
- Poor feeding
- DIB
- Distended abdomen
- EONs
- Epispadia
- Erb's palsy
- Extra digit on hand
- Facial oedema
- Febrile convulsions
- Frothing
- Gastrointestinal bleeding
- Grunting respiration
- Haematoma
- Hepatitis
- Hypersecretion
- Hypoglycaemia
- Hypospasia
- Hypothermia
- HIE
- Imperforate anus
- Infection exposure
- IURG
- neonatal jaundice,NNJ
- Jointed penis
- Left eye medial strabismus
- Leg hyperextension in delivery
- Lipoma
- LA
- Large for gestational age,LGA
- MA
- MBA
- Cesarean section,CS
- Mother has no breast milk
- Mothers drug abuse
- Nasal blockage/Blocked nostrils
- NEC, NEC
- Neonatal Anaemia
- Neonatal convulsions
- NM
- NNS,EONS,
- NNT
- NRDS,RDS, Respiratory Distress Syndrome
- Paraphimosis
- Phimosis
- Pneumonia
- Pneumonitis/pulmonitis
- Polycythemia Vera
- Poor apgar score
- Postdatism
- Premature labour

- LBW
- preterm
- PEM
- Renal failure
- Rhesus incompatibility
- Risk of sepsis /infection
- Scrotal swelling
- Septic Pustules
- Septic Shock
- Sero-reactive mother/Sero exposed
- Severe Birth asphyxia
- STI
- Shock
- Shoulder dislocation
- Shoulder dystocia
- Skin rashes
- SGA
- Soft tissue injury
- Spina Bifida
- Spinal dysraphism
- Squint
- Swollen face due to pubis presentation
- Swollen forehead
- Thigh mass
- Twin delivery
- Umbilical hernia
- Undescended testes

Specify any other discharge diagnosis

(Specify diagnoses, separating each by :)