PB-SAM Discharge CRF v1 PB-SAM Number [1][0] [0][0][2] [][][]



| | DISCHARGE DETAILS | | |
|------|--|----------------------|--|
| 1.1. | Date discharged by medical tear | n | // |
| 1.2. | Time discharged by medical team | n | D D/M M/YY YY |
| 1.3. | (24H clock) Discharge made by clinical team | ? | : |
| | | | ☐ Yes ☐ No |
| 1.4. | Discharged against medical advice | ce? | ☐ Yes ☐ No |
| 1.5. | Absconded? | | ☐ Yes ☐ No |
| 1.6. | Patient referred to other hospita | il? | ☐ Yes ☐ No |
| 1.7. | Discharged early because of e.g. | nurses / doctors str | ike? ☐ Yes ☐ No |
| 1.8. | Date left hospital | | // // |
| | | | י זיז און אין אין אין אין אין אין אין אין אין אי |
| | 2. STUDY MEDICATION | | |
| 2.1. | Study Medication Given? | ☐ Yes ☐ No | |
| | , | | |
| 2.2. | Enzyme/Placebo | ☐ Not given | |
| | Quantity given: | sach | ets |
| | | | |
| 2.3. | Urso/Placebo: a) Bottle 1 | ☐ Not given | |
| | i). Weight | | grams |
| | b) Bottle 2 | ☐ Not given | |
| | i). Weight | | grams |
| | | | |
| | | | |
| | | | |
| | 3. ANTHROPOMETRY | | |
| 3.1. | Anthropometry done? | | ☐ Yes ☐ No |
| 3.2. | Date anthropometry taken | | , , |
| | | | /// D D/M M/ Y Y Y Y |
| 3.3. | Weight | | |
| 3.4. | (to be taken using SECA scales for CHAIN s Length/ height | tudy) | kg Length |
| J.4. | (Select ONE) | | (to be taken using SECA 416 |

height measured standing)

(Length measured lying down if participant less than 24 months and

infantometer provided for study)

PB-SAM Discharge CRF v1 PB-SAM Number [1][0] [0][0][2] [][][]



| | | | Measurer 1: | cm N | Леasurer 2: cm |
|------|--|-------------------------------------|------------------------------|------------------|------------------------------------|
| 3.5. | MUAC (To be taken using MUAC tape for CHAIN st | tudy) | Measurer 1: | . cm N | leasurer 2: cm |
| 3.6. | Head circumference (To be taken using CHAIN measuring tape) | .uuyy | | | leasurer 2: cm |
| 3.7. | Growth changes consistent with previous measurements? | JS | ☐ Yes | ☐ No | easurement, child or file) |
| 3.8. | Staff Initials | | Measurer 1: | M | easurer 2: |
| | | | | | |
| 4.1. | 4. DISCHARGE VITALS Date of vital signs | | /_ D D/M M, | / _Y | - |
| 4.2. | Axillary temperature | | · | _°C | |
| 4.3. | Respiratory rate (Count for 1 minute) | | | _/minute | |
| 4.4. | Heart rate (Count for 1 minute) | | | _/minute | |
| 4.5. | SaO2 (To be taken from finger or toe using pulse ox | imeter) | | _ % ecordable | |
| 4.6. | Where was SaO2 Measured? | | ☐ Measured on ☐ Unrecordable | | Measured in Room Air |
| • | If patient absconded, use vital signs collected du | ring ward round | on the day | | |
| | 5. EXAMINATION Examination should be performed by CHAIN study of diagnosis based on clinical history and findings. Re | | | n of children, a | nd able to formulate a |
| 5.1. | Airway (select one) | ☐ Clear ☐ Obstructed | | ds active supp | ort |
| 5.2. | Breathing (select all that apply) | □ Normal – n □ Central cya □ Wheeze | | | n) ☐ Reduced air-entry ☐ Grunting |
| | | ☐ Lower ches | t wall Crack | les | ☐ Dull to percussion☐ Head nodding |

☐ Hand

Circulation:

a) Cap Refill (select one)

Cold Peripheries

5.3.

□ <2s

□ 2-3s

☐ Warm peripheries

□ >3s

□Shoulder

☐ Elbow



| | (select all that apply) c) Pulse Volume (select one) | ☐ Normal | □Weak |
|-------|---|---------------------------------|---|
| 5.4. | Disability: | | |
| 5.5. | a) Conscious level (select one) | ☐ Alert | ☐ Voice ☐ Pain ☐ Unresponsive |
| 5.6. | b) Fontanelle (select one) | ☐ Normal | ☐ Bulging ☐ Sunken ☐ Not present |
| 5.7. | c) Tone (select one) | ☐ Normal | ☐ Hypertonic ☐ Hypotonic |
| 5.8. | d) Posture (select one) | ☐ Normal | □ Decorticate □ Decerebrate |
| 5.9. | e) Activity (select one) | ☐ Normal | ☐ Irritable/Agitated ☐ Lethargic |
| 5.10. | Dehydration: a) Sunken eyes? (select one) | □ Yes □ No | |
| | b) Skin pinch (select one) | ☐ Immediate | □ <2 seconds □ >2 seconds |
| 5.11. | Oedema (Select all that apply) | ☐ None ☐ bo | th feet/ankles □ lower legs □ s □ face |
| 5.12. | Drinking/Breastfeeding (select one) | ☐ Normal | ☐ Poorly ☐ Not ☐ Eager / drinking Thirsty |
| 5.13. | Abdomen (select all that apply) | ☐ Normal – no concerns | ☐ Distension ☐ Hepatomegaly |
| | | ☐ Tenderness | ☐ Splenomegaly ☐ Other mass |
| 5.14. | Signs of Rickets | □ None | ☐ Wrist widening ☐ Rachitic rosary |
| | | ☐ Swollen knees | ☐ Bow legs ☐ Frontal bossing |
| 5.15. | Jaundice | □ Yes □ No | |
| 5.16. | ENT/Oral/Eyes (select all that apply) | ☐ Mouth Normal ☐ Stomatitis | ☐ Oral ulceration ☐ Oral candidiasis |
| | | ☐ Ears Normal ear (mastoiditis) | ☐ Pus from ear ☐ Tender swelling behind ☐ Lymphadenopathy |
| | | ☐ Eyes Normal ☐ Visual impairme | ☐ Conjunctivitis ☐ Eye discharge nt |
| 5.17. | Skin | ☐ Normal | ☐ Hyperpigmentation ☐ Depigmentation |
| | a) Type of skin lesion | | |
| | (select all that apply) | ☐ Broken skin | ☐ Dermatitis ☐ 'Flaky paint' |
| | | ☐ Cellulitis | ☐ Impetigo ☐ Pustules |
| | b) Cito of alice losions | ☐ Vesicles | ☐ Desquamation ☐ Macular or papular No rash) ☐ Palms / soles ☐ Trunk |
| | b) Site of skin lesions | | |
| | (Select on that apply) | · | ttocks |



| | 6. FEEDING AT DISCHARGE | | | | |
|------|--|--|---------------|---|---|
| 6.1. | At discharge is child receiving? | | ☐ Supple | ementary (corn soy blend, RU | SF, khichuri, halwa) |
| | (Select one) | | ☐ Therap | peutic (RUTF, Plumpy-nut) | |
| | | | ☐ None | | |
| 6.2. | Is the child completing prescribe (Select one) | ed feeds? | □ Yes | □No | |
| 6.3. | Is the child breastfeeding? (Select one) | | ☐ Yes | □ No | |
| | 7. DISCHARGE DIAGNOSIS | | | | |
| | Clinical diagnosis should be based on ex Select up to three most likely diagnoses | | gation findin | gs. | |
| 7.1. | General | ☐ Anaemia ☐ Renal impairm | | □ Sickle Cell Disease □ Ileus | ☐ Thalassaemia ☐ Nephritis |
| | | ☐ Liver dysfuncti☐ Congenital card | - | hrotic syndrome e confirmed by echo | |
| 7.2. | Respiratory | ☐ LRTI/pneumor☐ Otitis media | | nchiolitis 🗆 URTI 🗆 Asthma | ☐ Pulmonary TB |
| 7.3. | Infection | ☐ Gastroenteriti | s [| ☐ Sepsis | ☐ Confirmed Malaria |
| | | ☐ Extra pulmona☐ HIV related illr☐ Osteomyelitis☐ Confirmed ente | ness [| ☐ Soft tissue infection☐ Measles☐ Febrile illness unspecit☐ Typhoid/paratyphoid v | |
| 7.4. | CNS | ☐ Febrile convuls ☐ Other encephar unspecified ☐ Cerebral palsy ☐ Confirmed diag | alopathy [| ☐ Hydrocephalus ☐ D☐ ☐ LP confirmed meningiti | robable meningitis revelopmental delay is |
| 7.5. | Disability: Is there any new disability not present at admission | □ Yes □ No | If yes, s | pecify: | |
| 7.6. | Other confirmed diagnosis: | ☐ Other: | | | |
| | | | | | |
| | 8. DISCHARGE TREATMENT | | | | |
| 8.1. | a) Antibiotics at discharge? (Select one) | ☐ Yes | | □No | |
| | | ☐ Penicilli | n | ☐ Gentamicin | ☐ Ceftriaxone |
| | | | | | |



| | b) If yes IV Antibiotics as Outpatient? (Select all that apply) | ☐ Co-amoxiclav ☐ Ampicillin ☐ Levofloxacin ☐ Other | ☐ Flu/Cloxacillin ☐ Amikacin ☐ Vancomycin | ☐ Chloramphenicol☐ Meropenem☐ Metronidazole | |
|------|---|--|---|---|--|
| | c) Oral Antibiotics | ☐ Amoxicillin | ☐ Erythromycin | ☐ Azithromycin | |
| | (Select all that apply) | ☐ Co-trimoxazole | ☐ Metronidazole | ☐ Ciprofloxacin | |
| | | ☐ Cefalexin / cefaclor | ☐ Co-amoxiclav | ☐ Nalidixic acid☐ Other | |
| | | ☐ Penicillin | ☐ Flucloxacillin | | |
| 8.2. | Other Discharge Treatment | ☐ Anti-TB therapy | □ Zi | nc | |
| | (Select all that apply) | ☐ Anti-retroviral thera | apy (new) | tamin A | |
| | | ☐ Anti-convulsant (ne | ew) 🗆 Vi | tamin D | |
| | | ☐ Diuretic | □м | Iultivitamin | |
| | | ☐ Calcium | □ Iro | on supplement | |
| | | ☐ Antimalarial | □ De | ☐ Deworming | |
| | | □ None | □ 0· | ther | |
| 9.1. | 9. DISCHARGE SAMPLE COLLECTION Rectal swab taken (Select one) | N Yes | □ No | | |
| 9.2. | Date and Time Rectal swabs taken | D D/ | // M M / Y Y Y Y | | |
| 9.3. | Stool sample taken (Select one) | ☐Yes | 24 Hrs | | |
| 9.4. | Rectal Swabs taken by (initials) | | | | |
| 9.5. | Stool taken by (initials | | | | |
| 9.6. | Rectal Swabs taken by (initials) | | | | |
| | | | | | |
| | 10. FOLLOW UP INFORMATION | | | | |
| 1.1. | Date of next follow up visit given to me (Select one) | other/ carer | /es □ No | | |



| 1.2. | Contact information collected from mother/carer (Select one) | Yes | □ No |
|------|---|-----|------|
| 1.3. | Is the child being discharged to same household lived in before admission? (Select one) | Yes | □No |

| | 1 | 1. CRF COMPLETION | |
|-------|----|--|-----------------|
| 11.1. | a) | CRF Completed by (Initials) – to be signed when complete. Do not sign if any fields are empty | |
| | b) | Date | /// |
| | c) | Time | : 24 h clock |