	1. ELIGIBILITY CHECKLIST		
	1.1. Inclusion Criteria		
		YES	NO (ineligible)
a)	Age between 2 months and 59 months		
b)	Admitted to hospital with an acute non-traumatic illness (Within this time, children requiring CPR or unable to take orally (NPO) will be re-evaluated daily)		
c)	Enrolled within 72 hours of admission		
d)	Severe malnutrition (weight for height < -3z scores of the median WHO growth standards and/or MUAC • Age > 6months <115mm • 2- <6 months <110mm or symmetrical oedema of at least the feet related to malnutrition, i.e. not related to a primary cardiac or renal disorder)		
e)	Parent or guardian able and available to consent		
f)	Able to feed orally in usual state of health		
g)	Presence of two or more features of severity as specified in Table below**		
h)	Primary caregiver plans to stay in the study area during the duration of the study		
	1.2. Exclusion Criteria		
		YES (Ineligible)	NO
a)	Known congenital syndrome		
b)	Cleft palate		
c)	Known congenital cardiac disease		
d)	Known terminal illness e.g. cancer		
e)	Admission for surgery, or likely to require surgery within 6m		
f)	Admission for trauma?		
g)	Sibling enrolled in study		
h)	Previously enrolled in this trial or currently enrolled in this trial		
i)	Known stomach or duodenal ulcer		
j)	Known liver disorder or exocrine pancreatic disorder – e.g. biliary atresia, history of gallstones, cystic fibrosis or clinical jaundice		
k)	Known intolerance or allergy to any study medication		
I)	☐ Direct Bilirubin levels Above 25 µmol/L. (Kampala site only)		

**Severity characteristics, two or more are required for enrolment

a)	☐ Respiratory distress	☐ subcostal indrawing or ☐ nasal flaring or ☐ head nodding ☐ grunting
b)	☐ Oxygenation	☐ central cyanosis or ☐ SaO ₂ <90% (adjusted for altitude)
c)	☐ Circulation	☐ Limb temperature gradient or ☐ cap refill >3 seconds
d)	□ AVPU	<"A"
e)	□ Pulse	> 180 per min [beats per minute]
f)	□ Hb	< 7g/dl [g/dl]
g)	□ WBC	$< 4 \text{ or} > 17.5 \times 10^9/\text{I} [10^9/\text{I}]$
h)	☐ Blood glucose	< 3mmol/L [mmol/L]
i)	☐ Documented temperature at admission or screening	□<36 or □>38.5°C
j)	☐ Very low MUAC	MUAC <11cm

If eligible by 2 criteria, please continue to admission

	2. ADMISSION TO HOSPITAL AND TRIAL ENROLMENT				
2.1.	DATE arrived at the hospital	$\frac{1}{D} \frac{1}{D/M} \frac{1}{M/Y} \frac{1}{Y} \frac{1}{Y} \frac{1}{Y}$			
2.2.	TIME arrived at the hospital	: unknown 24h Clock			
2.3.	Hospital IP Number (Use Serial number for Kilifi site)				
2.4.	Date of consent	/// D D / M M / Y Y Y Y			
2.5.	Time of consent	:: 24h Clock			
2.6.	Consented by Initials				
2.7.	DATE of enrolment i.e. date consented and seen by research team	/// D / M M / Y Y Y Y			
2.8.	TIME of enrolment	:: 24h Clock			

PB-SAM Enrolment CRF v1.2

1	M	-	M	4
Γ	7.	7 [ar referen	SPATE T

Patient	Initials][][]
---------	----------	--	----	----	---

	Patient initials []	l Jl J		PR-2	AIVI NUM	ber [2][0] [11 11 1	
,	Screening Numbo	~ [V V] [ווו	r 1 [1 , ,			
	Screening Numbe	ן ניטון נ][]	lJl] (Kampaid	a only)		
2.9.	Sex			☐ Male		☐ Female		
2.10	. DOB			/	1			
				/_ D D / N	/ / Y Y Y Y	/		
2.11	. Is the DOB:			☐ True ☐ Estimated*				
if DOB is	s estimated, and the day is uncertai	n, write '15' for	DD					
	3.				IT COMPLAIN			
3.1.	What were the presenting	-		-	s of body 🗆 Vo	•	☐ Lethargy	
	complaints at admission	?		culty brea	_	arrhoea <14 days	☐ Convulsions	
	(Select all that apply)		_	sh<14 day		ugh>14days		
				rhoea >14 red consci	-	ood in stool	☐ Poor feeding	
				changes (dy swelling (oedema	_	
				changes (f	•	,	,	
			☐ Othe		<u>_</u>			
3.2.	Skin changes (if checked of	nt 3.1)			☐ Hyperpigmentation ☐ Hypopigmentation ☐ Peeling			
				Blisters Thickening of skin w long have skin changes been present Days/ Months				
3.3.	Hair Changes (if checked of	at 3.1)		dened colo ner than ເ	lour □ Light colour □ Straighter than usual usual			
		4. T	PEATME	NT FOR	THIS ILLNESS			
4.1.	Have you visited a hospital		□ N		Outpatient	☐ Inpatient (C	Overnight stay)	
	illness? (Select any that apply)	10				, _{[-}	, , , , , , , , , , , , , , , , , , , ,	
ı	, , , , , , , , , , , , , , , , , , , ,		ı					
			5. BI	RTH HIS	TORY			
5.1.	Birth details		J					
	(Select any that apply)							
5.2.	Preterm (< 37weeks)	☐ Yes	□ No		Unknown			
5.3.	Born small (<2.5kg)	☐ Yes	□ No		Unknown			
5.4.	Twin/multiple births	☐ Yes	□ No		Unknown			
5.5.	Born at term	☐ Yes	□ No		Unknown			
			6. AN	ITHROP	OMETRY			
6.1.	Weight							
	(to be taken using SECA	scales for CHAI	N study)		<u> </u>	kg		
6.2.	Length/Height				☐ Length	☐ Height	-	
6.3.	(to be taken using SECA 416 info	antometer provi	iaea for stu	iay)	Measurer 1:	cm Measure	er 2: cm	
0.3.	(To be taken using MUA	C tane for CHAI	N study)		Measurer 1:	cm Measui	rer 2: . cm	
6.4.	Head circumference	e tape joi crimi	stady)					
	(To be taken using CHAI	N measuring ta	pe)		Measurer 1:	cm Measui	rer 2: cm	
6.5.	Staff Initials				Maggurar 1.	Magazinar 2.		
					Measurer 1:	Measurer 2:		

NB: If the child is unwell the Length and Head Circumference can be taken at a later time.

		7. PREVIOUS HEALTH
7.1.	Previously admitted to hospital. (Includes other hospitals / health centres. Select 1)	□ No □ < 1 week ago □ 1 week-1month ago □ >1month ago
7.2.	Any medication last 7 days before admission. (Select all that apply)	☐ No medication ☐ Antibiotic ☐ Antimalarial ☐ Traditional
		☐ Deworming ☐ Vitamin ☐ Yes, but unknown ☐ Other (Specify)
7.3.	Has the child previously had oedema (body swelling)?	□ Y
7.4.	Urine production in last 24hrs? (Select 1)	☐ Normal or greater ☐ Less than normal ☐ Not passing urine ☐ Unknown
	8. LC	ONG TERM MEDICATION

	8. LONG TERM MEDICATION
8.1 Was child on any long term medication before hospitalization? (select any that apply)	<pre></pre>
	☐ Nevirapine (NVP) ☐ Efavirenz (EFV) ☐ Lopinavir/Ritonavir (Kaletra, LPV/r) ☐ Other
	Neuro Phenobarbital Valproic acid Levetiracetam Lamotrigine Other
	Sickle cell
	Hydroxyurea Other
	Anti-TBs
	☐ Isoniazid ☐ Rifampin ☐ Pyrazinamide (PZA) ☐ Ethambutol ☐ Other
	Long term antibiotic prophylaxis Co-trimoxazole Penicillin

PB-SAM Enrolment CRF v1.2



Patient Initials [][][PB-SAM Number [2][0] [][]

Screening Number	[M] [] [] [] []	(Kampala only)
------------------	--------	-----	-----	-----	---	----------------

	9. TREATMEN	T GIVEN BEFO	DRE ARRI	IVAL AT STUDY HOS	PITAL
9.1.	Intravenous Antibiotics Given?	☐ Not given			
	(select any that apply)	☐ Benzylpenio	cillin	☐ Gentamicin	☐ Ceftriaxone
		☐ Co-amoxicla	av	☐ Flu/Cloxacillin	☐ Chloramphenicol
		☐ Ampicillin		☐ Amikacin	☐ Meropenem
		☐ Levofloxacir	n	☐ Vancomycin	☐ Metronidazole
		☐ Co-trimoxaz	zole	☐ Penicillin	
		Other			
9.2.	Oral Antibiotics Given?	Other Not given			
9.2.	(select any that apply)	☐ Amoxicillin		☐ Erythromycin	☐ Azithromycin
		☐ Co-trimoxaz	zole	☐ Metronidazole	☐ Ciprofloxacin
		☐ Cefalexin / o		☐ Co-amoxiclay	☐ Nalidixic acid
		□ Penicillin	5014015.	☐ Flucloxacillin	☐ Levofloxacin
				- 1 10010/103	☐ Other
12.1		10. ENROLM	ENT VITA		
10.1.	Axillary temperature			°C	
10.2.	Respiratory rate (Count for 1 minute)			/minute	
10.3.	Heart rate				
	(Count for 1 minute)			/minute	
10.4.	SaO2 (To be taken from finger or toe using pulse ox	vimeter)		%	
	(10 be taken from finger of the using paise ox	inietery	Leave b	lank if unrecordable	
10.5.	Where was SaO2 Measured?		☐ Mea	asured on Oxygen	Measured in Room Air
			Unr	ecordable	
		11. EXA	MINATIO	ON	
	Examination should be performed by CHAIN diagnosis based on clinical history and findir			-	n, and able to formulate a
11.1.	Airway	☐ Clear		□ Needs active su	 upport
	(select one)		ructed/Stri		
11.2.	Breathing (select all that work)	□ Norm	nal – no co	ncerns, (move to circulo	ation)
	(select all that apply)	☐ Centr	ral cyanosis	s 🗆 Nasal fla	=
		☐ Whee	eze	☐ Acidotic	entry □ Grunting

Breathing

PB-SAM Enrolment CRF v1.2

4	A	M	M	M.
Λ	V)	TAA	π /	١٨
Г	1 [1 [7	

Patient Initials [][][] PB-SAM Number [2][0] [][]

		☐ Lower chest wall indrawing ☐ Head nodding	☐ Crackles	☐ Dull to percussion
11.3.	Circulation: a) Cap Refill	□ <2s □ 2-3	3s □>3s	
	(select one) b) Peripheral temperature (select one)	☐ Warm peripherio	es Cold periphe	eries
	c) Pulse Volume (select one):	☐ Normal	□Weak	
11.4.	Disability:			
	a) Conscious level (select one)	☐ Alert	□ Voice □ Pai	Unresponsive
	b) Fontanelle (select one)	☐ Normal	□ □ Su Bulging □ Su	ınken
	c) Tone (select one)	☐ Normal	☐ Hypertonic	☐ Hypotonic
	d) Posture (select one)	☐ Normal		□Decerebrate
	e) Activity (select one)	☐ Normal	□ Irritable/Agitated	□ Lethargic
11.5.	Dehydration: a) Sunken eyes? (Select one)	□ Y □ N		
	b) Skin pinch (Select one)	☐ Immediate	□ <2 seconds	□ >2 seconds
11.6.	Oedema (select any that apply)	□ None □ bo	th feet/ankles [□ lower legs
		☐ hands or lower a	rms 🗆 face	
11.7.	Drinking/Breastfeeding (Select one)	☐ Normal	□ Poorly □ N	Not Eager / Sking Thirsty
11.8.	Abdomen (select any that apply)	☐ Normal – no concerns	☐ Distension [☐ Hepatomegaly
		□ Tenderness	□ Splenomegaly	☐ Other abdominal mass
11.9.	Signs of Rickets (select any that apply)	□ None	☐ Wrist widening [☐ Rachitic rosary
		☐ Swollen knees	☐ Bow legs [☐ Frontal bossing
11.10.	Jaundice (Select one)	□ Y □ N		
11.11.	ENT/Oral/Eyes (select any that apply)	☐ Mouth Normal ☐ Stomatitis	☐ Oral ulceration	☐ Oral candidiasis
		☐ Ears Normal ear (mastoiditis)	☐ Pus from ear ☐ Lymphadenopathy	☐ Tender swelling behind
		☐ Eyes Normal ☐ Visual impairmer	=	□ Eye discharge

PB-SAM Enrolment CRF v1.2 Patient Initials [][][PB-SAM Number [2][0] [][][] Screening Number [M] [] [] (Kampala only) 11.12. Skin ■ Normal ☐ Hyperpigmentation ☐ Depigmentation a) Type of skin lesion ☐ Broken skin ☐ Dermatitis ☐ 'Flaky paint' (select any that apply) ☐ Cellulitis ☐ Impetigo ☐ Pustules □ Vesicles ☐ Desquamation ☐ Macular or papular ☐ Not applicable (No rash) ☐ Palms / soles ☐ Trunk b) Site of skin lesions. ☐ Face / scalp (select any that apply) ☐ Buttocks ☐ Arms ☐ Legs ☐ Perineum

12. SUSPECTED CHRONIC CONDITIONS			
Select co	onfirmed, suspected or none for all conditions:	Confirmed/Suspected (diagnosed previously/ recorded/ clinician's impression)	None
12.1.	Cerebral palsy/neurological problem/epilepsy (Select one)		
12.2.	Sickle Cell disease (select one)		
12.3.	Thalassaemia (Select one)		
12.4.	Visual problem / Blindness (select one)		

	13. FEEDING PRIOR TO ADMISSION				
13.1.	Prior to this admission child <u>actively attending</u> outpatient nutrition program?	☐ Suppleme	entary (corn so	y blend, RUSF, khid	churi, halwa)
	(Select one)	☐ Therapeu	tic (RUTF, Plum	py-nut)	
		☐ None			
13.2.	Has the child eaten solid food in last 24 hrs (Select one)	□ Yes	□No		
13.3.	Has child taken liquids or breastfed in last 24 hrs (Select one)	□ Yes	□No		
13.4.	Is the child currently breastfeeding? (Select one)	□ Yes	□No		
13.5.	Does the child usually have other feeds other than breastmilk? (Select one)	□ Yes	□No		
13.6.	If NOT breastfeeding at all, age stopped in months?	□ N/A (still breastfeeding)			
	(select one)	□ 0-3m	☐ 4-6m	☐ 7-12m	□ >12m
		□ Unknown	1		

	14. IMMEDIATE CLINICAL INVE	STIGATIONS AND HIV STATUS AT ENROLMENT
14.1.	Malaria RDT? (select one)	☐ Positive ☐ Negative ☐ Not done
14.2.	HIV status known?	☐ Child not previously tested, not known to be exposed ☐ known PCR positive
		□ antibody positive, unknown PCR status □ known exposed, known PCR negative (children under 18m with PCR result SEEN BY RESEARCH TEAM. If not seen select below and perform HIV RDT □ child untested, but known to be HIV exposed
14.3.	a) If not known positive, HIV RDT results now? (select one)	☐ Reactive / positive ☐ Non-Reactive / Negative ☐ Indeterminate ☐ Declined testing ☐ Testing not offered by study team (e.g. culturally not sensitive)
	b) If RDT results now is positive, was PCR sample sent? (select one)	☐ Yes ☐ No missed ☐ No referred
14.4.	Biological mother present at enrolment? (select one)	☐ Yes ☐ No
14.5.	HIV test offered to caregiver? (Offer if only biological mother)	Reactive Non-reactive Declined
		☐ mother is known positive ☐ Missed ☐ child in care home ☐ Not offered by study team (e.g. culturally not sensitive)
		☐ Mother not available

PB-SAM En	rolment CRF v1.2	******
Patient Initials [][][]	PB-SAM Number [2][0]	[][][]
Screening Number [M] [] [] [] [] (Kampala only)	

	15. TREATMENT IN STUDY HOSPITAL BEFORE ENROLMENT				
15.1.	Admitted to: (select one)	☐ Admission to ward	☐ Admission to HDU	☐ Admission to ICU	
15.2.	Date and time First	, ,		□Not given	
	antibiotics given	/ /	:: 24h clock		
15.3.	Intravenous Antibiotics	☐ Not given			
	Given?	☐ Benzylpenicillin	☐ Gentamicin	☐ Ceftriaxone	
	(select any that apply)	☐ Co-amoxiclav	☐ Flu/Cloxacillin	☐ Chloramphenicol	
		☐ Ampicillin	☐ Amikacin	☐ Meropenem	
		☐ Levofloxacin	☐ Vancomycin	☐ Metronidazole	
		☐ Other			
15.4.	Oral Antibiotics Given?	☐ Not given			
	(select any that apply)	☐ Amoxicillin	☐ Erythromycin	☐ Azithromycin	
		☐ Co-trimoxazole	☐ Metronidazole	☐ Ciprofloxacin	
		☐ Cefalexin / cefaclor	☐ Co-amoxiclav	☐ Nalidixic acid	
		□Penicillin	☐ Flucloxacillin	☐ Levofloxacin	
				☐ Other	

16. SUSPECTED INITIAL DIAGNOSES:				
Clinical d	liagnosis should be based on e	xamination and investigation fir	ndings. Tick the <u>three</u>	most likely diagnoses.
16.1.	6.1. Common Infections □ pneumonia □ Severe pneumonia			onia
	(select any that apply)	☐ Gastroenteritis	☐ Sepsis	☐ Malaria
		☐ Soft tissue infection	□ UTI	
		☐ URTI	☐ Osteomyelitis	
		☐ Febrile illness unspecific	ed	☐ Enteric fever
		☐ Not applicable		
16.2.	Other suspected	☐ Anaemia		
	diagnosis	☐ Adverse Drug Reaction		
	(select any that apply)	☐ Asthma		
		☐ Bronchiolitis		
		☐ Cerebral palsy		
		☐ Developmental delay		
		☐ Epilepsy		
		☐ Extra pulmonary TB		
		☐ Failed appetite test only	/	
		☐ Febrile convulsions		
		☐ Hydrocephalus		
		☐ Ileus		
		☐ Liver disease		
		☐ Measles		
		☐ Nephrotic syndrome		
		☐ Otitis media		
		☐ Other encephalopathy		
		☐ Probable meningitis		

] [] (Kampala omy)
	☐ Pulmonary TB ☐ Renal impairment ☐ Sickle Cell Disease ☐ Suspected Toxicity ☐ Thalassaemia ☐ Varicella ☐ Other, specify:	
	17. ADMISSION INVESTIGATI	ONS AND SAMPLE COLLECTION
17.1.	CBC taken? (Kilifi, Dhaka, Blantyre; As part of routine clinical care; select one)	Yes No
17.2.	Clinical chemistry taken (iSTAT) (Kilifi and Dhaka; select one)	Yes No NA (Kampala, Blantyre)
17.3.	Blood culture taken (if available at site as part of routine care; select one))	☐ Y BEFORE ABX ☐ Y AFTER ABX ☐ No
17.4.	EDTA 3ml blood taken (for storage) (Select one)	☐ Yes ☐ No, Difficult venepuncture ☐ No, Child uncooperative ☐ No, Parent refused ☐ No, Other
17.5.	Rectal swab taken (Select one)	☐ Y BEFORE ABX ☐ Y AFTER ABX ☐ No
17.6.	Date and Time Rectal swabs taken	//
17.7.	Stool sample taken? (Must be Taken within first 48h of enrolment; select one))	☐ Yes ☐ No
17.8.	Date and Time stool sample taken	//

18. SAMPLES TAKEN BY			
18.1.	Blood Samples taken by (initials)		
18.2.	Rectal Swabs taken by (initials)		
18.3.	Stool taken by (initials)		

	CO. COL COLUNI ETICAL				
	19. CRF COMPLETION				
19.1.	a)	CRF Completed by (Initials) – to be signed when complete. Do not sign if any fields are empty			
	b)	Date	///		
	c)	Time	: 24 h clock		
19.2	a)	CRF Reviewed by (Initials)			
	b)	Date	///		
	c)	Time	: 24 h clock		