

# Patient Initials [ ][ ][ ]

# PB-SAM Number [1][0] [ ][ ]

1.1. Date discharged by medical team   //		1. DISCHARGE DETAILS	
1.2. Time discharged by medical team  (24H clock)  1.3. Discharge made by clinical team?  1.4. Discharged against medical advice?  1.5. Absconded?  1.6. Patient referred to other hospital?  1.7. Discharged early because of e.g. nurses / doctors strike?  1.8. Date left hospital	1.1.	Date discharged by medical team	
1.2. Time discharged by medical team  (24H clock)  1.3. Discharge made by clinical team?  1.4. Discharged against medical advice?  1.5. Absconded?  1.6. Patient referred to other hospital?  1.7. Discharged early because of e.g. nurses / doctors strike?  1.8. Date left hospital			//
1.3. Discharge made by clinical team?  1.4. Discharged against medical advice?  1.5. Absconded?  1.6. Patient referred to other hospital?  1.7. Discharged early because of e.g. nurses / doctors strike?  1.8. Date left hospital			D D/M M/YYYY
1.3. Discharge made by clinical team?  1.4. Discharged against medical advice?  1.5. Absconded?  1.6. Patient referred to other hospital?  1.7. Discharged early because of e.g. nurses / doctors strike?  1.8. Date left hospital	1.2.	Time discharged by medical team	
1.4. Discharged against medical advice?  1.5. Absconded?  1.6. Patient referred to other hospital?  1.7. Discharged early because of e.g. nurses / doctors strike?  1.8. Date left hospital		(24H clock)	:
1.4. Discharged against medical advice?  1.5. Absconded?  1.6. Patient referred to other hospital?  1.7. Discharged early because of e.g. nurses / doctors strike?  1.8. Date left hospital	1.3.	Discharge made by clinical team?	
1.5. Absconded?  1.6. Patient referred to other hospital?  1.7. Discharged early because of e.g. nurses / doctors strike?  1.8. Date left hospital			☐ Yes ☐ No
1.5. Absconded?    Yes   No	1.4.	Discharged against medical advice?	
1.6. Patient referred to other hospital?  1.7. Discharged early because of e.g. nurses / doctors strike?  1.8. Date left hospital			☐ Yes ☐ No
1.6. Patient referred to other hospital?  □ Yes □ No  1.7. Discharged early because of e.g. nurses / doctors strike? □ Yes □ No  1.8. Date left hospital □ Yes □ No	1.5.	Absconded?	
1.7. Discharged early because of e.g. nurses / doctors strike?  □ Yes □ No □ Yes □ No  1.8. Date left hospital □//			☐ Yes ☐ No
1.7. Discharged early because of e.g. nurses / doctors strike?  ☐ Yes ☐ No  1.8. Date left hospital  ☐//	1.6.	Patient referred to other hospital?	
1.8. Date left hospital		· ·	☐ Yes ☐ No
1.8. Date left hospital	1.7.	Discharged early because of e.g. nurses / doctors strike?	
			☐ Yes ☐ No
	1.8.	Date left hospital	
D D/M M/YYYY		·	/
			DD/MM/YYYY

	2. STUDY MEDICATION	
2.1.	Study Medication Given?	☐ Yes ☐ No
2.2.	Enzyme/Placebo  a) Bottle 1: i). Weight	□ Not given               grams
	b) Bottle 2: i). Weight	□ Not given      grams
2.3.	Urso/Placebo:  a) Bottle 1  i). Weight	☐ Not given      grams
	b) Bottle 2 i). Weight	□ Not given      grams

# PB-SAM Discharge CRF v1.0 S [ ][ ][ ] PB-SAM Number [1][0] [ ][ ][ ]



# Patient Initials [ ][ ][ ]

	3. ANTHROPOMETRY	
3.1.	Anthropometry done?	☐ Yes ☐No
3.2.	Date anthropometry taken	
		//
		D D/M M/YYYY
3.3.	Weight	
	(to be taken using SECA scales for CHAIN study)	kg
3.4.	Length/ height	Length Height
	(Select ONE)	(to be taken using SECA 416
	(Length measured lying down if participant less than 24 months and	infantometer provided for study)
	height measured standing)	
		Measurer 1: cm
		Wicasarci I cm Wicasarci Z cm
3.5.	MUAC	
	(To be taken using MUAC tape for CHAIN study)	Measurer 1: cm Measurer 2: cm
3.6.	Head circumference	
	(To be taken using CHAIN measuring tape)	Measurer 1: cm Measurer 2: cm
3.7.	Growth changes consistent with previous	☐ Yes ☐ No
	measurements?	(If no, consider to be wrong measurement, child or file)
3.8.	Staff Initials	
		Measurer 1:
	4. DISCHARGE VITALS	

	4. DISCHARGE VITALS	
4.1.	Date of vital signs	//
		D D/M M/YY YY
4.2.	Axillary temperature	°C
4.3.	Respiratory rate	
	(Count for 1 minute)	/minute
4.4.	Heart rate	
	(Count for 1 minute)	/minute
4.5.	SaO2	
	(To be taken from finger or toe using pulse oximeter)	
		Leave blank if unrecordable
4.6.	Where was SaO2 Measured?	
		☐ Measured on Oxygen ☐ Measured in Room Air
		☐ Unrecordable

If patient absconded, use vital signs collected during ward round on the day



# Patient Initials [ ][ ][ ]

Discharge Citi VI.O			1-5
PB-SAM Number [1][0]	[	][	]

	5. EXAMINATION			
	Examination should be performed by CHAIN study clinician trained in clinical examination of children, and able to formulate a diagnosis based on clinical history and findings. Refer to Clinical Examination SOP			
5.1.	Airway	☐ Clear ☐ Needs active support		
2.2.	(select one)	☐ Obstructed/Stridor		
5.2.	Breathing	□ Normal – no concerns, (move to circulation)		
	(select all that apply)	☐ Central cyanosis ☐ Nasal flaring ☐ Reduced air-entry		
		☐ Wheeze ☐ Acidotic Breathing ☐ Grunting		
		☐ Lower chest wall ☐ Crackles ☐ Dull to percussion indrawing ☐ Head nodding		
5.3.	Circulation:	□ <2s □ 2-3s □ >3s		
	a) Cap Refill	2.53		
	(select one) b) Cold Peripheries	☐ Warm peripheries ☐ Shoulder ☐ Elbow ☐ Hand		
	(select all that apply) c) Pulse Volume			
	(select one)	□ Normal □Weak		
5.4.	Disability:			
5.5.	a) Conscious level (select one)	☐ Alert ☐ Voice ☐ Pain ☐ Unresponsive		
5.6.	b) Fontanelle (select one)	□ Normal □ Bulging □ Sunken □ Not present		
5.7.	c) Tone (select one)	□ Normal □ Hypertonic □ Hypotonic		
5.8.	d) Posture (select one)	□ Normal □ Decorticate □ Decerebrate		
5.9.	e) Activity (select one)	□ Normal □ Irritable/Agitated □ Lethargic		
5.10.	Dehydration: a) Sunken eyes? (select one)	□ Yes □ No		
	b) Skin pinch (select one)	☐ Immediate ☐ <2 seconds ☐ >2 seconds		
5.11.	Oedema (Select all that apply)	☐ None ☐ both feet/ankles ☐ lower legs ☐ hands or lower arms ☐ face		
5.12.	Drinking/Breastfeeding (select one)	□ Normal □ Poorly □ Not □ Eager / drinking Thirsty		
5.13.	Abdomen (select all that apply)	□ Normal – no concerns □ Distension □ Hepatomegaly		
		☐ Tenderness ☐ Splenomegaly ☐ Other mass		
5.14.	Signs of Rickets	☐ None ☐ Wrist widening ☐ Rachitic rosary		
		☐ Swollen knees ☐ Bow legs ☐ Frontal bossing		
5.15.	Jaundice	□ Yes □ No		



#### Patient Initials [ ][ ][ ]

# PB-SAM Number [1][0] [ ][ ]

5.16.	ENT/Oral/Eyes (select all that apply)		☐ Mouth Normal ☐ Stomatitis	☐ Oral ulceration	☐ Oral candidiasis
			☐ Ears Normal ear (mastoiditis)	☐ Pus from ear☐ Lymphadenopa	☐ Tender swelling behind athy
			☐ Eyes Normal ☐ Visual impairme	☐ Conjunctivitis nt	☐ Eye discharge
5.17.	Skin		☐ Normal	☐ Hyperpigmenta	ation   Depigmentation
	a) Type of skin lesion (select all that apply)		☐ Broken skin☐ Cellulitis☐ Vesicles	☐ Dermatitis ☐ Impetigo	☐ 'Flaky paint' ☐ Pustules
	b) Site of skin lesions			☐ Desquamation No rash) ☐ Palms /	
	(select all that apply)		☐ Face / scalp ☐ Legs ☐ Bu	ittocks 🗆 Arms	☐ Perineum
	6. DISCHARGE DIAGNOSIS				
	Clinical diagnosis should be based on exc Select up to <u>three most likely</u> diagnoses.		and investigation finding	gs.	
6.1.	Common Infections	□ pneu		Severe pneumoni	
	(select any that apply)			☐ Sepsis ]UTI	☐ Malaria
		□ URTI		Osteomyelitis	
		☐ Febri	le illness unspecified pplicable	•	☐ Enteric fever
6.2.	Other suspected diagnosis (select any that apply)	☐ Anae ☐ Adve ☐ Asthr ☐ Brond ☐ Cereb ☐ Deve ☐ Epile  ☐ Extra ☐ Failed ☐ Febri ☐ Hydrd ☐ Ileus ☐ Liver ☐ Meas ☐ Neph ☐ Othel ☐ Othel ☐ Proba ☐ Pulm ☐ Renai ☐ Sickle	mia rse Drug Reaction ma chiolitis oral palsy lopmental delay psy pulmonary TB d appetite test only le convulsions ocephalus disease sles irotic syndrome r s media r encephalopathy able meningitis onary TB I impairment e Cell Disease octed Toxicity		

☐ Varicella

# PB-SAM Discharge CRF v1.0 Patient Initials [ ][ ] PB-SAM Number [1][0] [ ][ ]



	Other, specify:
7 FEEDING AT DISCHARGE	

	7. FEEDING AT DISCHARGE		
7.1.	At discharge is child <u>receiving</u> ? (Select one)	☐ Therapeutic (RL	y (corn soy blend, RUSF, khichuri, halwa) UTF, Plumpy-nut)
		☐ None	
7.2.	Is the child completing prescribed feeds? (Select one)	□ Yes □ I	No
7.3.	Is the child breastfeeding ? (Select one)	□ Yes □ N	No

	8. DISCHARGE TREATMENT			
8.1.	a) Antibiotics at discharge? (Select one)	☐ Yes		lo
	b) If yes IV Antibiotics as Outpatient? (Select all that apply)	☐ Penicillin ☐ Co-amoxiclav ☐ Ampicillin ☐ Levofloxacin ☐ Other_	☐ Gentamicin ☐ Flu/Cloxacillin ☐ Amikacin ☐ Vancomycin	☐ Ceftriaxone ☐ Chloramphenicol ☐ Meropenem ☐ Metronidazole
	c) Oral Antibiotics (Select all that apply)	☐ Amoxicillin ☐ Co-trimoxazole ☐ Cefalexin / cefaclor ☐ Penicillin	☐ Erythromycin ☐ Metronidazole ☐ Co-amoxiclav ☐ Flucloxacillin	☐ Azithromycin ☐ Ciprofloxacin ☐ Nalidixic acid ☐ Other ————
8.2.	Other Discharge Treatment (Select all that apply)	☐ Anti-TB therapy ☐ Anti-retroviral therapy ☐ Anti-convulsant (new) ☐ Diuretic ☐ Calcium ☐ Antimalarial ☐ None	y (new)	Zinc Vitamin A Vitamin D Multivitamin Iron supplement Deworming Other

#### PB-SAM Discharge CRF v1.0 PB-SAM Number [1][0] [ ][ ][ ]



#### Patient Initials [ ][ ][ ]

	9. DISCHARGE SAMPLE COLLECTION	
9.1.	Rectal swab taken (Select one)	☐ Yes ☐ No
9.2.	Date and Time Rectal swabs taken	// D D/M M/Y Y Y Y :
9.3.	Stool sample taken (Select one)	☐ Yes ☐ No
9.4.	Date and Time Stool taken	// D D/M M/Y Y Y Y :
9.5.	Rectal Swabs taken by (initials)	
9.6.	Stool taken by (initials	

	10. FOLLOW UP INFORMATION		
10.1	Date of next follow up visit given to mother/ carer (Select one)	Yes	□ No
10.2	Contact information collected from mother/carer (Select one)	Yes	□ No
10.3	Is the child being discharged to same household lived in before admission? (Select one)	Yes	□No



# Patient Initials [ ][ ][ ]

# PB-SAM Number [1][0] [ ][ ]

	1	1. CRF COMPLETION	
11.1.	a)	CRF Completed by (Initials) – to be	
		signed when complete.	
		Do not sign if any fields are empty	
	b)	Date	
	,		$\frac{1}{D}\frac{1}{D/M}\frac{1}{M/Y}\frac{1}{Y}\frac{1}{Y}\frac{1}{Y}$
	c)	Time	
			: 24 h clock
11.2	d)	CRF Reviewed by (Initials)	
	e)	Date	, ,
			//
	()	<b>~</b> *	
	f)	Time	: